

Guide Rail and Guide Rail Parts
Open - Ended Contract #CC-0039-17 - Spreadsheet

VENDOR NAME>>		Chemung Supply
ITEM	DESCRIPTION	UNIT COST
1	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing	\$ 56.00
2	Galvanized Guide Rail Element 12.5 feet long with 3'1-1/2" post hole spacing	\$ 56.00
3	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate	\$ 63.00
4	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 10' radius concave	\$ 135.00
5	Galvanized Guide Rail Element 12.5 feet long with 3'1-1/2" post hole spacing– 10' radius concave	\$ 135.00
6	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 10' radius concave	\$ 153.00
7	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 10' radius convex	\$ 120.00
8	Galvanized Guide Rail Element 12.5 feet long with 3'1-1/2" post hole spacing– 10' radius convex	\$ 120.00
9	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 10' radius convex	\$ 136.00
10	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 15' radius concave	\$ 135.00
11	Galvanized Guide Rail Element 12.5 feet long with 3'1-1/2" post hole spacing– 15' radius concave	\$ 135.00

12	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 15' radius concave	\$	153.00
13	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 15' radius convex	\$	106.00
14	Galvanized Guide Rail Element 12.5 feet long with 3' 1-1/2" post hole spacing– 15' radius convex	\$	106.00
15	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 15' radius convex	\$	121.00
16	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 20' radius concave	\$	100.00
17	Galvanized Guide Rail Element 12.5 feet long with 3' 1-1/2" post hole spacing– 20' radius concave	\$	100.00
18	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 20' radius concave	\$	115.00
19	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 20' radius convex	\$	97.00
20	Galvanized Guide Rail Element 12.5 feet long with 3' 1-1/2" post hole spacing– 20' radius convex	\$	97.00
21	Galvanized Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 20' radius convex	\$	111.00
22	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing	\$	57.00
23	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing	\$	58.00

24	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate	\$	69.00
25	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 10' radius concave	\$	150.00
26	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing– 10' radius concave	\$	150.00
27	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 10' radius concave	\$	168.00
28	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 10' radius convex	\$	134.00
29	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing– 10' radius convex	\$	134.00
30	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 10' radius convex	\$	151.00
31	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 15' radius concave	\$	150.00
32	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing– 15' radius concave	\$	150.00
33	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 15' radius concave	\$	168.00

34	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 15' radius convex	\$	118.00
35	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing– 15' radius convex	\$	118.00
36	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 15' radius convex	\$	134.00
37	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 20' radius concave	\$	112.00
38	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing– 20' radius concave	\$	112.00
39	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 20' radius concave	\$	127.00
40	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing – 20' radius convex	\$	108.00
41	Weathering Steel Guide Rail Element 12.5 feet long with 3' 1- 1/2" post hole spacing– 20' radius convex	\$	108.00
42	Weathering Steel Guide Rail Element 12.5 feet long with 6'3" post hole spacing and additional holes for anchor plate– 20' radius convex	\$	123.00
43	Galvanized Guide Rail Element 12.5' long with 6'3" post hole spacing – 40' Radius (convex)	\$	82.00

44	Galvanized Guide Rail Element 12.5' long- with 3' 1.5" post hole spacing – 40' Radius (convex)	\$	82.00
45	Galvanized Guide Rail Element 12.5' long with 6' 3" post hole spacing with additional holes for anchor plate – 40' Radius (convex)	\$	100.00
46	Galvanized Guide Rail Element 12.5' long with 6' 3" post hole spacing – 40' Radius (concave)	\$	100.00
47	Galvanized Guide Rail Element 12.5' long- with 3' 1.5" post hole spacing – 40' Radius (concave)	\$	100.00
48	Galvanized Guide Rail Element 12.5' long with 6' 3" post hole spacing with additional holes for anchor plate – 40' Radius (concave)	\$	115.00
49	Weathering steel Guide Rail Element 12.5' long with 6' 3" post hole spacing – 40' Radius (convex)	\$	111.00
50	Weathering steel Guide Rail Element 12.5' long- with 3' 1.5" post hole spacing – 40' Radius (convex)	\$	111.00
51	Weathering steel Guide Rail Element 12.5' long with 6' 3" post hole spacing with additional holes for anchor plate – 40' Radius (convex)	\$	128.00
52	Weathering steel Guide Rail Element 12.5' long with 6' 3" post hole spacing – 40' Radius (concave)	\$	111.00
53	Weathering steel Guide Rail Element 12.5' long- with 3' 1.5" post hole spacing – 40' Radius (concave)	\$	111.00

54	Weathering steel Guide Rail Element 12.5' long with 6' 3" post hole spacing with additional holes for anchor plate – 40' Radius (concave)	\$	128.00
55	Brake Master 350 Energy Absorption System		NO BID
56	X-Lite Tangent Lindsay Transportation Solution		NO BID
57	Fleat 350 Road Systems Inc.		NO BID
58	SKT-SP Road Systems Inc.		NO BID
59	Fleat SP-Road System Inc.		NO BID
60	Fleat MT Road Systems Inc.		NO BID
61	CAT-350 Trinity Highway Products	\$	3,250.00
62	Galvanized BCT Buffer with welded diaphragm	\$	126.00
63	Weathering Steel BCT Buffer with welded diaphragm	\$	156.00
64	Galvanized End Section Rounded with a 6-5/16" Radius	\$	49.00
65	Weathering Steel End Section Rounded with a 6-5/16" Radius	\$	49.00
66	Galvanized Terminal Connector Parapet	\$	25.00
67	Weathering Steel Terminal Connector Parapet	\$	53.00
68	Galvanized Terminal Connector for Buffer End	\$	26.00
69	Weathering Steel Terminal Connector for Buffer End	\$	30.00
70	Galvanized Post W6 x 8.5 – 72" Long with 3/4" diameter hole drilled 1-1/8" off center and 7" down from the top	\$	31.50
71	Galvanized Post W6 x 8.5 – 90" Long with 3/4" diameter hole drilled 1-1/8" off center and 7" down from the top	\$	39.00

72	Weathering Steel Post W6 x 8.5 – 72” Long and galvanized 42” from the bottom up with ¾” diameter hole drilled 1-1/8” off center and 7” down from the top	\$	43.00
73	Weathering Steel Post W6 x 8.5 – 90” Long and galvanized 60” from the bottom up with ¾” diameter hole drilled 1-1/8” off center and 7” down from the top	\$	51.00
74	Treated Wood Post 6” x 8” x 5’3” long – drilled for cable and 5/8” post bolt	\$	36.00
75	Treated Wood Block 6” x 8” x 14” long – drilled for 5/8” post bolt	\$	7.00
76	Notched Treated Wood Block 6” x 8” x 14” long – drilled for 5/8” post bolt	\$	10.00
77	Notched Composite Block 6” x 8” x 14” long – drilled for 5/8” post bolt	\$	5.00
78	Galvanized back-up plate 12” x 12” – drilled for threaded cable	\$	34.00
79	Galvanized Anchor plate for BCT end treatment	\$	24.00
80	Standard Galvanized Pipe 2” x 6” long	\$	7.00
81	Galvanized ¾” BCT cable assembly with 1” diameter threaded rod on both ends	\$	79.00
82	Splice Bolt 5/8” x 1-1/4” – Galvanized Full Thread – Per 100 pieces	\$	40.00
83	Splice Bolt 5/8” x 2” – Galvanized Full Thread – Per 100 pieces	\$	50.00
84	Splice Bolt 5/8” x 3” – Galvanized Full Thread – Per 100 pieces	\$	100.00

85	Splice Bolt 5/8" x 6" – Galvanized Full Thread – Per 100 pieces	\$	125.00
86	Splice Bolt 5/8" x 9-1/2" – Galvanized 6" Thread – Per 100 pieces	\$	150.00
87	Splice Bolt 5/8" x 18" – Galvanized 6" Thread – Per 100 pieces	\$	260.00
88	Splice Bolt 5/8" x 25" – Galvanized 6" Thread – Per 100 pieces	\$	410.00
89	Washer 11/16" inside diameter and 1-3/4" outside diameter – Galvanized – Per 100 pieces	\$	25.00
90	Washer 1-1/16" inside diameter and 3" outside diameter – Galvanized – Per 100 pieces	\$	70.00
91	Nut 5/8" – Galvanized Recessed – Per 100 pieces	\$	40.00
92	Nut 1" – Galvanized Recessed – Per 100 pieces	\$	115.00
93	Treated Wood Post 6" x 8" x 6' long – CRT Post drilled for 5/8" post bolt	\$	38.00
94	Treated Wood Post 6" x 8" x 6' long – CRT Line Post drilled for 5/8" post bolt	\$	40.00
95	Treated Wood Post 5-1/2" x 7-1/2" x 3'6-3/4" long – Short Post drilled for 5/8" post bolt	\$	27.00
96	IBM Guardrail Reflector, fits top of steel I-Beam Post	NO BID	
97	Butterfly Guardrail Reflector, fits inside all "W-Beam" steel guardrail	NO BID	
98	The Flex 2020, fastens to composite block and concrete barriers	NO BID	
99	(F3000), Impact Head, Fleat 350	NO BID	
100	(F1303), W-Beam Guardrail End Section, 12 Ga., 12'-6"	NO BID	

101	(F1304), W-Beam Guardrail, Center Section (4'-2" spacing) 12 Ga., 12'-6"	NO BID
102	(G1203), W-Beam Guardrail, (6'-3" spacing) 12 Ga., 12'-6"	NO BID
103	(S730), * Foundation Soil Tubes, 6" x 8" x 6'-0"	NO BID
104	(E750), Bearing Plate – 8" x 8" x 5/8"	NO BID
105	(S760), Cable Anchor Bracket	NO BID
106	(E780), Ground Strut	NO BID
107	((P650), 5-1/2" x 7-1/2" x 45" Wood Posts	NO BID
108	5/8" Flat Washers, (2 each at Soil Tubes + 6 Posts)	NO BID
109	(W100), 1" Anchor Cable Washers	NO BID
110	(E350), 3/8" X 3" Lag Screws	NO BID
111	(W050A), 1-1/16" OD x 9/16" ID A325 Structural Washers	NO BID
112	(S3000), Impact Head	NO BID
113	(30G), W-Beam Guardrail, 12 Ga., 12'-6"	\$ 142.00
114	(39G), W-Beam guardrail, 12 Ga., 12'-6"	\$ 147.00
115	Splice Bolt 5/8" x 2 1/2" – Galvanized Full Thread – Per 100 pieces	\$ 300.00
116	Splice Bolt 5/8" x 4" – Galvanized Full Thread – Per 100 pieces	\$ 150.00
117	W6x20 post 36" tall center mount on 12"x12"x1"plate w/ 1" mounting holes, Galvanized	\$ 225.00
118	W6x20 post 36" tall center mount on 12"x12"x1"plate w/ 1" mounting holes, Weathered	\$ 225.00
119	W6x20 post 36" tall offset mount Galvanized as per attached sketch	\$ 240.00
120	W6x20 post 36" tall offset mount Weathered as per attached sketch	\$ 240.00
121	SRT 350 6 post System	\$ 1,500.00

122	(907G) (Terminal) Rolled Buffer	\$	32.00
123	Striped reflector (yellow/black) 16" x 16" adhesive	\$	25.00
124	Complete Fleet SP Terminal end 2 post system	NO BID	
125	Complete SKT – SP Terminal end 2 post system	NO BID	
126	S3000 Impact Head	NO BID	
127	F3000 Impact Head	NO BID	
128	SF1303 W-Beam guardrail end section 12'6"	NO BID	
129	TPHP1A First post top	NO BID	
130	TPHP1B First post Bottom	NO BID	
131	HP2A Second post assembly Top	NO BID	
132	HP3B Second post assembly bottom	NO BID	
133	B580904A 5/8 Diameter x 9 Hex bolt GRD 5	NO BID	
134	B340854A 3/4 Diameter x 8 1/2 Hex bolt GRD A449	NO BID	
135	N030 3/4 Diameter Hex Nut	NO BID	
136	B5160104A 5/16 x 1 Hex Bolt GRD 5	NO BID	
137	W0516 5/16 Washer	NO BID	
138	N0516 5/16 Hex Nut	NO BID	
139	W to Thrie Beam Transition section Galvanized	\$	90.00
140	Thrie Terminal connector Galvanized	\$	60.00
141	W6 x 9 Post Galvanized	\$	32.00
142	Galvanized Type-B 9-Post Thrie-Beam Guide Rail Attachment Complete with W-Thrie Transition Section as Detailed in the NJDOT 2007 Standard Construction Details CD-609-16	\$	145.00
	<i>Any questions (items 143-170) please contact- Chris Markley, Mercer County @ 609-989-6710:</i>		
	PN DESCRIPTION		

143	3G 12/12"/BACKUP (GUARD RAIL)	\$	20.00
144	30G 12/12'6/S SRT-1 (GUARD RAIL)	\$	140.00
145	69G 12/25' S SRT-2 (GUARD RAIL)	\$	200.00
146	700A CABLE ANCHOR BRACKET	\$	35.00
147	907G 12/BUFFER/ROLLED (TERMINAL) GLOVE END	\$	35.00
148	3000G 3/4 X 6'6 CABLE	\$	95.00
149	3300G 5/8" WASHER	\$	0.30
150	3340G 5/8" HEX NUT	\$	0.60
151	3360G 5/8 X 1-1/4" SPLICE SOLT	\$	0.60
152	3380G 5/8 X 1-1/2" HEX HD BOLT	\$	0.75
153	3400G 5/8" X 2" POST BOLT	\$	0.65
154	3580G 5/8" X 18" POST BOLT	\$	3.95
155	3701G 3/4" WASHER	\$	0.30
156	3704G 3/4" HEX NUT	\$	1.25
157	3718G 3/4" X 3" HEX HD BOLT (A325)	\$	2.00
158	3900G 1" WASHER	\$	1.00
159	3910G 1" HEX NUT	\$	2.00
160	40638 6'0 POST 6 X 8	\$	50.00
161	40758 14" BLOCK 6X8	\$	9.00
162	4254G 3/8" WASHER	\$	0.25
163	4258G 3/8" LOCKWASHER	\$	0.25
164	4261G 3/8" X 1-1/2" HEX HD BOLT (GR 5)	\$	0.50
165	4699G 3/4" LOCKWASHER	\$	0.40
166	6321G 3/8" X 2" HEX HD BOLT (GR 5)	\$	0.50
167	6405G 3/8" HEX NUT	\$	0.40
168	9960G SLOT GUARD	\$	35.00
169	9961G 3/8 X 3 X 4 PLATE \WASHER	\$	10.00
170	33876A HBA POST 1 TOP (W6 X 8.5)	\$	60.00
171	33877A HBA POST 2 TOP (W6 X 8.5)	\$	58.00

172	33878A2 HBA POST 1 & 2 BOT (TS 6 X 4)	\$	145.00
173	33879G2 ANGLE STRUT 2 X 2 X 3/8	\$	66.00